Subject Index to Volume 77

A

Acidification, endocytotic compartments, 768–769
Actin, structure, 672–674
Activator protein 1 (AP-1), epidermal, 406–407
Activator protein 2 (AP-2), epidermal, 407
Actomyosin interaction, 671–694
  conclusions, 693–694
  mechanical efficiency, 689–690
  power stroke, 681–684
    energetics, 682–683
    length of power stroke measured in vitro, 686
    rapid regeneration of, 691–692
    role of two-headed structure of myosin, 682
    structural changes, 681–682
    summary, 683–684
  protein structures, 672–678
    actin and myosin, 672–674
    actomyosin complex, 674
    homology between myosin and microtubule motors, 676–677
    structural similarity between myosin and G proteins, 677–678
    structure of myosin complexed with nucleotides, 675–676
  steady-state mechanics, 684–690
    coupling between force generation and ATP hydrolysis, 688–689
    duty cycle for active myosin heads, 687–688
    efficiency of actomyosin interactions, 689–690
    force generated in isometric muscle, 685–686
    force generation measured in vitro, 684–685
    in vitro assays of filament velocities, 684
    length of drag stroke measured in fibers, 689
    length of power stroke measured in vitro, 686
  structure and mechanics of different state in, 678–681
    detached states, 679
    phosphate release, 680–681
    post-power-stroke states, 681
    pre-power-stroke states, 679–680
  transients in force after step changes in fiber length, 690–693
    elastic elements, 690–691
    implications of transient experiments, 692–693
    rapid regeneration of power stroke, 691–692
    rapid tension recovery, 691
Adenosine
  activation of renal sensory receptors, 140–141
  ATP-sensitive potassium channel response to, 1192
Adenosine 5′-cyclic diphosphate-ribose (cADPR)
  agonists, 1142
  antagonists, 1141
  caged, 1142
  as calcium messenger, 1145–1148
  as calcium modulator, 1143–1145
  calcium release activity, 1138
  calcium signaling. *See* Calcium mobilization
  cells responsive to, 1138–1141
  discovery of, 1135–1137
  enzymatic pathways for degradation, 1155–1159
    ADP-ribosyl cyclase activity of CD38, 1156–1158
    CD38 is not a classical NADase, 1158
    phosphatase and CD38, 1155–1156
  enzymatic pathways for synthesis, 1150–1155
    crystal structure of ADP-ribosyl cyclase, 1150–1153
  extracellular functions and internalization of, 1158–1159
  fluorescent analogs, 1141–1142
  modulation by calmodulin, 1143–1144
  radioimmunoassay, 1147–1148
  receptors, 1143
  sensitization of calcium, 1144–1145
Adenosine 3′,5′-cyclic monophosphate (cAMP)
  modulation of minK currents, 636
  regulation of Na^+/H^+ exchanger, 61–62
  signal transduction, ethanol and, 5–6
Adenosine 5′-diphosphate, inactivation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 917
Adenosine receptors, ethanol and, 7–8
Adenosine transporters, in alcoholism, 5
Adenosinetriphosphatase (ATPase)
  Ca^{2+}, standard metabolic rate, 738
  Na^+-K^+-. *See* Na^+-K^+-adenosinetriphosphatase
  P-glycoprotein activity, 573–575
Adenosine 5′-triphosphate
  ATP-sensitive potassium channels. *See* Potassium channels
  depletion, regulation of Na^+/H^+ exchanger, 64–65
  glycolytic production, standard metabolic rate and, 743
  standard metabolic rate and. *See* Standard metabolic rate
Adenylate cyclase, calcium release-activated (store-operated) calcium current (I_{CRAC}) and, 923
ADP-ribosylation factor, phospholipase D regulation, 307–308
ADP-ribosyl cyclase
  base-exchange reaction, 1153–1154
  crystal structure, 1150–1153
  multifunctionality, model for, 1154–1155
Adrenoceptors
  β-adrenergic receptors, ATP-sensitive potassium channel response to, 1191–1192
  postjunctional/extrajunctional, renal innervation, 92–93
  prejunctional, renal innervation, 91–92
  renal hemodynamics and, 101–104
  renal tubular function and, 114–119
  renin secretion and, 129–130
Adrenocorticotropic hormone (ACTH)
  cortisol secretion in teleost fish, 597
  effects of atrial natriuretic peptide, 491–492
Age/aging
  developmental lesions and brain aging, 211
  intestinal sugar transport and, 277–281
  mitochondrial changes, 425–453
  nuclear DNA-encoded enzymes, changes, 430
  premature, diseases with, 431–433
  theories of aging and relevance to human aging, 449–451
    evidence relevant to theories and aging, 450–451
    relevance to apoptosis, 451
    theories of aging, 449–450
Airways, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1213–1214
Alcohol dehydrogenase, microsomal ethanol-oxidizing system vs., 519
Alcoholic liver disease, cytochrome *P*-4502E1 in, 531–533
Alcoholism
  acute and chronic responses to ethanol, 1–2
  adenosine transporters in, 5
  γ-aminobutyric acid receptors in, 3–4
  cellular and molecular neuroscience, 1–11
  ethanol and membrane proteins, 2
  ethanol and other regulatory signaling pathways, 5–10
    cAMP signal transduction, 5–6

ethanol sensitivity and protein phosphorylation, 8
G protein-coupled receptors, 6–8
protein kinase A, 8
protein kinase C, 8–9
protein kinase C-dependent neurite outgrowth, 9
regulation of gene expression, 9–10
ethanol-induced ultrastructural changes in liver and associated induction of other microsomal enzymes, 534–535
genetics, 10
markers of cytochrome *P*-4502E1 induction and clinical applications, 534
N-methyl-D-aspartate receptors in, 2–3
relevance of studies in model systems, 10
serotonin receptors in, 4
voltage-dependent ion channels in, 4–5
calcium channels, 4–5
potassium channels, 5

Aldosterone, regulation of epithelial sodium channels, 377–380
Allatinhibin, insect, 1004
Alveolar macrophages, pulmonary host defense, 934
Alveolar type II cells, pulmonary host defense, 935
Alzheimer's disease
β-amyloid precursor protein mutations in, 1112–1113
apolipoprotein E and, 1113–1115
endocytosis and, 788
presenilin mutations and, 1112–1113
Amiloride
binding site, Na^+/H^+ exchangers, 57–58
interaction with highly sensitive (ENaC type) epithelial sodium channels, 366–367
Amiloride-binding proteins, purification and cloning, 369
γ-Aminobutyric acid (GABA) receptor, ethanol effects, 3–4
α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid (AMPA) receptors, 218–219
in cortical plasticity, 242
gene expression in adult neocortex, 227–228
gene family, 227
immunocytochemistry, 228
ontogeny, 235–236
visualization in neocortex, 226–228
receptor binding studies, 226–227
Amphibian(s), brain atrial natriuretic peptide (ANP) receptors in, 483
Amphibian skin, epithelial sodium channels, 360
Amyloid β-peptide, 1094–1108
actions in nonneuronal cells, 1108–1111
neurotoxicity
factors that affect neuron vulnerability to Aβ toxicity, 1106–1108
mechanism of, 1099–1106
presenilin mutations and, 1113
structure and domains involved in, 1097–1098
physiological roles, 1111
production, aggregation, and metabolism, factors affecting, 1098–1099
structure and domains involved in fibrillogenesis and cytotoxicity, 1097–1098
β-Amyloid precursor protein(s), 1081–1116
amyloid β-peptide, 1094–1111
cellular expression, 1083–1085
conclusions and future directions, 1115–1116
functional domains of secreted forms, 1093–1094
functions in neurons, 1087–1093
modulation of neuronal excitability and synaptic plasticity, 1089–1092
neurite outgrowth-promoting and synaptogenic activities, 1088–1089
neutrotrophic activities, 1088
protection against excitotoxic, metabolic, and oxidative insults, 1092–1093
receptor and signal transduction functions, 1093
functions in nonneuronal cells, 1093
introduction, 1081–1082
mutations, Alzheimer's disease and, 1112–1113
proteolytic processing, 1085–1087
β-secretase-derived carboxy terminus, 1111–1112
secreted forms, functional domains, 1093–1094
structure, 1082–1083
Anaphylatoxin(s), non-Fc$_\epsilon$RI dependent mast cell activation, 1050
Anesthetics, vasodilation and, 1212
Angiogenesis, mast cells in, 1058–1059
Angiotensin II, renal tubular function, 119–120
Antidiuretic hormone
atrial natriuretic peptide release, 497
regulation of epithelial sodium channels, 380–382
renal tubular function, 120
Antigen presentation, 783
Antiproliferative agents, selective cellular ablation in developing brain, 202–203
Apolipoprotein E, predisposition factor in Alzheimer's disease, 1113–1115
Apoptosis
calcium release-activated (store-operated) calcium current (I_{CRAC}) and, 923–924
mast cells, 1040–1041
mitochondria in, 451
Appetite, stressed fish, 608
Arginine vasotocin, stress response in teleost fish, 601
Ascorbic acid, in milk, effect on mineral and trace element absorption, 662
Atherosclerosis, endocytosis and, 789–790
Atrial natriuretic peptide (ANP), 465–503
blood pressure and, 485–486
brain
ANP receptors, 476–483. *See also* Atrial natriuretic peptide (ANP) receptors
degradation, 476
localization, 466–476
molecular forms, 469
release from, 475–476
signal transduction mechanism for, 478–479
synthesis and regulation of ANP gene expression, 473–475
brain natriuretic peptide, 500–501
central control of fluid homeostasis, 483–490
catecholamines and, 487–488
gastrointestinal functions, 488
structural and species-related effects, 486–487
volume regulation, 483–487
cerebrospinal fluid, 472–473
C-type natriuretic peptide, 500–501
fluid homeostasis
drinking behavior and salt appetite, 483–485
renal function and blood pressure, 485–486
general comments, 501–503
localization in brain and pituitary gland, 466–476
amphibians, 470
ANP release from brain, 475–476
birds, 470
cerebrospinal fluid, 472–473

colocalization of ANP with other neurotransmitters/neuromodulators, 469–470
degradation of ANP, 476
fish, 470–471
immunocytochemistry and radioimmunoassay quantitation, 466–469
molecular forms of ANP in brain, 469
mollusks, 471
in nonmammalian species, 470–471
synthesis of brain ANP and regulation of ANP gene expression, 473–475
molecular forms in brain, 469
neuronal activity and, 487
pituitary gland, localization, 473
pituitary hormone interactions, 490–493
ACTH, 491–492
growth hormone, 493
hypothalamic-anterior pituitary axis effects, 491
physiological significance of ACTH release-inhibiting action of ANP, 492
posterior pituitary hormones, 490–491
prolactin, 492–493
thyroid-stimulating hormone, 493
release
adrenergic mechanisms, 494–495
ANP antiserum, 495
antidiuretic hormone in, 497
cholinergic stimulation of AV3V region and ANP secretion, 493–494
endothelin in, 495–496
melanocyte-stimulating hormone in, 496
neural ANP system and increased plasma ANP induced by blood volume expansion, 498–500
neuroendocrine pathways, 498
neuropeptide Y in, 496
opioids in, 496–497
osmotic mechanisms, 495
oxytocin in, 497
peptidergic mechanisms, 495–496
polypeptide YY in, 496
role of brain in regulation, 493–500
release from brain, 475–476
renal function and, 485–486
renal tubular function, 120
spinal cord and ganglia, localization, 471–472
Atrial natriuretic peptide (ANP) receptors, brain, 476–483
in blood-brain barrier, 481–482
during dehydration, 480
in experimental hypertension, 480–481
guanylyl cyclase (R1) and clearance (R2) receptors, 479–480
localization, 476–478
in nonmammalian species, 483
ontogeny, 483
in pathological conditions, 482–483
signal transduction mechanism for ANP, 478–479
types, 479–480
Autonomic nervous system, 76
renal function. *See* Renal function, neural control
renal hemodynamics, 94–104
Autophagy, 786–787
Avian species
brain atrial natriuretic peptide (ANP) receptors in, 483
diving in birds
diving behavior, 841–845
metabolic rate and metabolism, 851–857
Azidopine, P-glycoprotein binding, 572

B

Bactericidal activity, surfactant, 950
Balance studies, mineral and trace element requirements of infants, 651–652
Basonuclin, epidermal transcription factor, 408
Biomarkers, markers of cytochrome *P*-4502E1 induction and clinical applications, 534
Blood-brain barrier, brain atrial natriuretic peptide (ANP) receptors in, 481–482
Blood flow
distribution, diving and, 871–874
lactate exchange in skeletal muscle, 340–341
renal, neural control, 94–104
Blood glucose, stress response in fish, catecholamines and, 595
Blood pressure
atrial natriuretic peptide and, 485–486
diving and, 869–871
Body mass, species differences in standard metabolic rate, 750–751
Bradykinin, activation of renal sensory receptors, 140–141
Brain
atrial natriuretic peptide in. *See* Atrial natriuretic peptide
glucose uptake, atrial natriuretic peptide in, 490
Brain dysfunction, developmental models induced by targeted cellular ablations, 199–211. *See also* Methylazoxymethanol
antiproliferative agents for, 202–203
cellular ablations and neurogenetic time table, 203–206
consequences of cellular ablations during development, 206–210
cryogenic lesions, 201
gene targeting strategies, 202
kainic acid-induced lesions, 200–201
strategies to induce selective cellular ablation, 200–203
X-irradiation-induced lesions, 201–202
Brain injury, ischemic, inwardly rectifier potassium channels in, 1215–1216
Breast milk, mineral and trace element absorption from. *See* Infant nutrition
Bursicon, insect, 1009–1010

C

Ca^{2+}-adenosinetriphosphatase, standard metabolic rate, 738
cADPR. *See* Adenosine 5′-cyclic diphosphate-ribose
Calcitonin, placental transfer of calcium, 822
Calcitonin gene-related peptide
activation of renal sensory receptors, 138–139, 141
ATP-sensitive potassium channel response to, 1191
Calcium
absorption from breast milk and infant diets, 653
dietary intake
breast-fed infants, 644–645
formula-fed infants, 645
entry into nonexcitable cells. *See* Calcium influx
in epidermal keratinocyte proliferation/differentiation, 401
intercellular, modulation of minK currents, 636–637
intracellular
capacitative refilling of calcium stores, 902–903
feedback and self-inhibition of epithelial sodium channels, 383–384
mobilization. *See* Calcium mobilization
store depletion and calcium influx. *See* Calcium influx

phospholipase D regulation, 307
placental transfer, 819–822
regulation of Na^+/H^+ exchanger, 59–61
status, assessment, 650
Calcium-binding protein, placental transfer of calcium, 820
Calcium channel(s)
in alcoholism, 4–5
calcium release-activated (store-operated) (CRAC), molecular biology, 920–922
Calcium current(s), calcium release-activated (store-operated) calcium current (I_{CRAC}), 904–917
activation mechanisms, 907–915
assessment of models, 913–915
Ca^{2+} sensor, 908
signal transduction, 908–913
stores, 907–908
calcium-dependent potentiation, 906
concluding remarks, 924
current-voltage relationship, 905–906
history, 903–904
inactivation mechanisms, 915–917
adenosine and guanosine nucleotides, 917
calcium-dependent/store-independent inactivation, 915–916
inactivation by calcium, 915
protein kinase-mediated inactivation, 916–917
Store refilling, 915
patch-clamp measurement, 920
pathophysiology, 924
pharmacological profile, 907
physiological functions, 922–924
adenylate cyclase, 923
apoptosis, 923–924
cell cycle and proliferation, 923
gene transcription, 923
pattern of Ca^{2+} oscillations and wave propagation, 922
refilling of stores, 922
secretion, 923
properties, 905
selectivity for calcium, 906
single-channel conductance, 906–907
Calcium-dependent kinase, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 912
Calcium influx, 901–924
concluding remarks, 924
introduction, 902
other calcium influx pathways, 917–918
store independent, 917–918
store operated, 917
store-independent pathways, 917–918
Ca^{2+}-activated cation channels, 918
G protein-activated Ca^{2+} channels, 918
$InsP_4$ and Ca^{2+} influx, 917–918
$InsP_3$-gated Ca^{2+} channels, 917
kinase-activated Ca^{2+} channels, 918
leukotriene-activated Ca^{2+} channels, 918
ligand-gated cation channels, 918
store-operated calcium influx, 902–904
capacitative refilling of calcium stores, 902–903
molecular biology of store-operated channels, 920–922
store-operated calcium current (I_{CRAC}), 903–904
store-operated calcium entry across plasma membrane, 903
study methods, 919–920
calcium-activated currents as reporters, 920
cytosolic Ca^{2+} measurements with indicator dyes, 919–920
importance of SERCA inhibitors, 919
manganese influx and fluorescence quench, 920
patch-clamp measurements of I_{CRAC}, 920
store-operated (Ca^{2+} release-activated) calcium current (I_{CRAC}), 903–904, 904–917. *See also* Calcium current(s)
Calcium influx factor(s), activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 909
Calcium mobilization, 1133–1160
analogs of cADPR and NAADP, 1141–1143
agonists of cADPR, 1142
antagonists of cADPR, 1141
caged cADPR and caged NAADP, 1142–1143
fluorescent analogs of cADPR, 1141–1142
cADPR as calcium messenger, 1145–1148
activation of cADPR pathway by nitric acid in PC12 cells, 1146–1147
activation of cADPR pathway by nitric acid in sea urchin eggs, 1145–1146
activation of cADPR pathway by retinoic acid in HL-60 cells, 1147
radioimmunoassay for cADPR, 1147–1148
cADPR as calcium modulator, 1143–1145
cADPR receptors, 1143
modulation by calmodulin, 1143–1144
sensitization of calcium, 1144–1145
calcium oscillation and NAADP, 1148–1150
calcium oscillation induced by photolyzing caged NAADP, 1150
NAADP activation of Ca^{2+}-release mechanism in sea urhcin eggs, 1148–1149
self-desensitization mechanism, 1149–1150
cell model for investigating, 1134–1135
membrane preparation, 1135
sea urchin eggs, 1135
discovery of cADPR and NAADP, 1135–1137
cADPR, 1135–1137
calcium release activity, 1138
cells responsive to cADPR, 1138–1141
NAADP, 1137
enzymatic pathways for degradation of cADPR and NAADP, 1155–1159
ADP-ribosyl cyclase activity of CD38, 1156–1158
CD38 is not a classical NADase, 1158
extracellular functions and internalization of CD38 and cADPR, 1158–1159
phosphatase and CD38, 1155–1156
enzymatic pathways for synthesis of cADPR and NAADP, 1150–1155
base-exchange reaction, 1153–1154
crystal structure of ADP-ribosyl cyclase, 1150–1153
model for multifunctionality of cyclase, 1154–1155
introduction, 1134
perspective, 1159–1160
Calmodulin
modulation of adenosine 5′-cyclic diphosphate-ribose (cADPR), 1143–1144
regulation of Na^+/H^+ exchanger, 59–61
Calmodulin-dependent kinase, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 912
Caloric restriction, life-long, intestinal sugar transport and, 280–281
Calsequestrin, interaction with ryanodine receptors, 713–714
Carbohydrates
dietary levels, intestinal sugar transport and, 265–266
in milk, effect on mineral and trace element absorption, 662
Carcinogenesis, cytochrome *P*-4502E1 in, 533
Cardiac muscle, ryanodine receptors, 699–720
Cardioactive peptide(s) (CAP), muscle activity (insect), 978–979
Cardiovascular system
response to diving, 864–888. *See also* Diving, cardiorespiratory responses
stress response in fish, catecholamines and, 594–595

Casein phosphopeptides, effect on mineral and trace element absorption, 659
Casein protein, effect on mineral and trace element absorption, 657–659
Catalase, microsomal ethanol-oxidizing system vs., 519
Catecholamines
central effect of atrial natriuretic peptide and, 487–488
functions (teleost fish), stress effects, 594–596
immune system effects, stressed fish, 614
secretion (teleost fish), control of, 593–594
stress effects (teleost fish), 596–597
control of secretion, 593–594
effect on blood oxygen transport capacity, 595
effects on blood glucose and free fatty acid levels, 595–596
respiratory and cardiovascular effects, 594–595
Caveolae, in endocytosis, 784–786
CD38
ADP-ribosyl cyclase activity of, 1156–1158
degradation of cADPR and NAADP, 1155–1156
extracellular functions and internalization of, 1158–1159
not a classical NADase, 1158
Cell coupling, lens of eye, 28–35
Cell cycle, calcium release-activated (store-operated) calcium current (I_{CRAC}) and, 923
Cell metabolism, feedback and self-inhibition of epithelial sodium channels, 384–385
Cell proliferation
calcium release-activated (store-operated) calcium current (I_{CRAC}) and, 923
lymphocytes
effects of surfactant, 952–953
surfactant protein A and, 945
mast cells, 1036–1040
Cellular respiration, control of, 749–750
Cerebellum, selective cellular ablation with methylazoxymethanol in developing brain, 205–206
rearrangement of neuronal connectivity in, 210
Cerebral circulation, atrial natriuretic peptide and, 489–490
Cerebral cortex
kainate receptor gene expression, 229
selective cellular ablation with methylazoxymethanol in developing brain, 203–204
changes in laminar fate, 206–207
Cerebral edema, atrial natriuretic peptide in, 490
Cerebrospinal fluid, atrial natriuretic peptide in, 472–473
Chemokine(s), 1052–1053
Chemotaxis
effects of surfactant, 952
surfactant protein A and, 944
surfactant protein D and, 949
Chemotherapy
cytotoxin movement across cell membranes in pump/leak system, 551–561
efflux of cytotoxins in pump-leak situation, 557–560
P-glycoprotein-induced redistribution of cytotoxins as between nucleus and cytoplasm, 561
quantitative interrelationships between permeability, drug pumping, and multidrug resistance for P-glycoprotein, 560
time course of drug uptake, 551–557
cytotoxin movement across cell membranes when no pump is present, 548–551
half times for cytotoxin uptake, 549
measurement of initial rates of cytotoxin uptake, 548–549
solubility/diffusion model, 549–550
kinetics of multidrug transporter (P-glycoprotein) and its reversal, 545–583. *See also* P-glycoprotein(s)
Chloride, placental transfer, 817–818
Chloride channels, lens of eye, 27
Cholinergic receptors, postjunctional/extrajunctional, renal innervation, 94
Chromium, dietary intake during infancy, 649
Cirrhosis, efferent renal sympathetic nerve activity in, 150–155
Citric acid, in milk, effect on mineral and trace element absorption, 662
Clathrin-coated pits. *See also* Endocytosis, receptor-mediated internalization
interaction of internalization motifs, 764–765
Cloning
minK gene, 628
sulfonylurea receptor, 1199–1200
Cold exposure, metabolic rate and, 744–745
Cold stress, intestinal sugar transport and, 272
Collagen-like lectin. *See* Collectins
Collectins, 935–950
gene cluster, 938
mannose-binding protein deficiency, genetic basis for, 937–938
pulmonary host defense, 935–950
sequence and structural homology, 935–936
serum, functions, 936–937
summary, 950
surfactant protein A, 938–947
concentration, 938
in disease states, 946–947
effect on production of reactive oxygen species, 943–944
effects on chemotaxis, 944
effects on cytokine and immunoglobulin secretion, 944
effects on cytotoxicity, 944–945
effects on lymphocyte proliferation, 945
interaction of SP-A with particles and effect on particle uptake, 941–943
methods of isolation/state of aggregation, 940
receptors, 945–946
structure, 938
susceptibility to infection of SP-A-deficient mice, 940–941
synthesis and secretion, 938–940
surfactant protein D, 947–950
concentration, 948
in disease states, 950
effects on chemotaxis, 949
effects on free radical production, 949
interaction of SP-D with particles and effects on particle uptake, 948–949
method of isolation/state of aggregation, 948
receptors, 949–950
structure, 947–948
synthesis and secretion, 948
Congestive heart failure, efferent renal sympathetic nerve activity in, 150–155
Connective tissue, mast cell adhesion, 1041–1043
Copper
absorption from breast milk and infant diets, 655
dietary intake
breast-fed infants, 647
formula-fed infants, 648
status, assessment, 651
Cortical neurons, selective cellular ablation with methylazoxymethanol in developing brain, 203–204
changes in laminar fate, 206–207
Corticotropin-releasing hormone (CRH), stress response in teleost fish, 601
Cortisol
functions (teleost fish), 598–599

glucocorticoid functions, 599
mineralocorticoid functions, 598–599
immune system effects, stressed fish, 612–614
secretion (teleost fish), 597–598
ACTH and, 597
α-melanocyte-stimulating hormone and β-endorphin and, 597–598
stress effects (teleost fish), 599–600
Cow's milk, mineral and trace element absorption from. *See* Infant nutrition
Cryogenics, selective cellular ablation in developing brain, 201
C-type natriuretic peptide, 500–501
Culture studies, ethanol-induced changes, relevance to alcoholism, 10
Cystatin-α, epidermal keratinocyte cornified envelope, 410–411
Cystic fibrosis, epithelial sodium channels in, 374
Cytochrome *P*-450
ethanol-induced ultrastructural changes in liver and associated induction of other microsomal enzymes, 534–535
ethanol-specific, 519–524. *See also* Cytochrome *P*-4502E1
purification, 519–521
Cytochrome *P*-4502E1, 517–535
in alcoholic liver disease and associated oxidative stress, 531–533
in carcinogenesis, 533
conclusions and future applications, 535
in energy balance, 533–534
enzymology, 524–528
cofactors, 524
inducers and inhibitors, 527–528
role of lipids and other nutrients, 524–526
substrates, 526–527
in ethanol metabolism and associated pathology, 530–533
in ethanol oxidation after chronic ethanol consumption, 530–531
markers of cytochrome *P*-4502E1 induction and clinical applications, 534
in obesity, diabetes, and lipid metabolism, 530
physiological functions, 530
polymorphism of *CYP2E1*, 523–524
regulation of gene expression, 521–523
in starvation and ketone metabolism, 530
tissue distribution, 528–530
extrahepatic tissues, 529–530
liver, 528–529
Cytochrome *P*-450 messengers, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 910
Cytokine(s), 1052–1053
effects on brain-pituitary-interrenal axis, 614–615
non-Fc$_\epsilon$RI dependent mast cell activation, 1049–1050
secretion, surfactant protein A and, 944
Cytotoxicity, surfactant protein A and, 944–945
Cytotoxins. *See* Chemotherapy

D

Defense system
of fish, 611
immunoendocrine relationships, 612–615
effects of cytokines on brain-pituitary-interrenal axis, 614–615
hormones effects on immune system, 612–614
pulmonary host defense. *See* Pulmonary host defense
stress and (teleost fish), 611–612
Dehydration, brain atrial natriuretic peptide (ANP) receptors in, 480
Dextran(s), non-Fc$_\epsilon$RI dependent mast cell activation, 1050
Diabetes mellitus
ATP-sensitive potassium channels in, 1215
cytochrome *P*-4502E1 in, 530
intestinal sugar transport and, 274–277
Diapause, 1007–1009
Diet
hepatic cytochrome *P*-4502E1 activity, 524–526
intestinal sugar transport and, 265–271
mineral and trace element intake and utilization during infancy, 643–664. *See also* Infant nutrition
Dihydropyridine receptors, in excitation-contraction coupling, 714–716. *See also* Excitation-contraction coupling
1,25-Dihydroxycholecalciferol, placental transfer of calcium, 821
Diving
aerobic dive limit, 849–850
cardiorespiratory responses, 864–879
circulatory adjustments to diving, 865–874
control of, 883–888
efficacy of, 874–879
recovery from diving (surfacing), 879–883
circulatory adjustments to diving, 865–874
blood flow distribution, 871–874
heart rate, 865–869
stroke volume and arterial blood pressure, 869–871
diving behavior, 840–849
metabolic rate and metabolism, 849–864
aerobic dive limit, 849–850
birds, 851–857
mammals, 857–864
methods for determining metabolic rate of diving animals, 851
physiology, 837–890
cardiorespiratory responses, 864–888
concluding comments, 888–890
introduction, 837–840
metabolic rate and metabolism, 849–864
recovery from, cardiorespiratory responses to surfacing, 879–883
Diving behavior, 840–849
birds, 841–845
mammals, 845–849
DNA
mitochondrial. *See* Mitochondrial DNA
nuclear, enzymes, age-related changes, 430
DNA turnover, standard metabolic rate, 739–740
Dopamine, in alcoholism, 6
Dopaminergic receptors
postjunctional/extrajunctional, renal innervation, 93–94
prejunctional, renal innervation, 92
Drinking behavior, atrial natriuretic peptide and, 483–485

E

Ecdysteroids, insect, 996–1001
Edema, chronic sodium-retaining edema-forming states, efferent renal sympathetic nerve activity in, 150–155
Elafin/SKALP, epidermal keratinocyte cornified envelope, 409–410
Electrical stimulation, afferent renal nerves, renorenal reflex and, 134
Electrophysiology, potassium channel studies, 1167
Endocytosis, 759–790
autophagy, 786–787
conclusion, 790
disease processes related to, 787–790
Alzheimer's disease, 788
atherosclerosis, 789–790
endocytosis of toxins and viruses, 787–788
prion diseases, 788
endocytic compartments
acidification, 768–769

definitions and molecular markers, 766–768
morphology, 768
introduction, 760–761
itineraries of endocytosed molecules, 774–779
delivery from early endosomes to late endosomes, 775–776
entry into and exit from sorting endosomes, 774–775
passage through late endosomes and delivery to lysosomes, 776–778
trafficking through endocytic recycling compartment, 778–779
macropinocytosis, 786
non-clathrin-mediated modes, 783–787
autophagy, 786–787
noncoated pit endocytosis, 784–786
phagocytosis, 783–784
noncoated pit endocytosis, 784–786
caveolae in, 784–786
endocytosis via nonclathrin-coated pits, smooth invagination, and STEMs, 784
macropinocytosis, 786
phagocytosis, 783–784
receptor-mediated internalization, 761–765
interaction of internalization motifs with clathrin-coated pits, 764–765
lipid domains and lipid-linked proteins in, 763–764
mechanism of entry into cells, 765
other internalization motifs, 762–764
peptide internalization motifs, 761–762
trafficking through endocytic organelles, 765–774
ubiquitination, 762–763
regulation, 772–774
interaction of signal motifs with coats on endocytic compartments, 772–773
phosphatidylinositol 3-kinases, 774
rab proteins, 773–774
vesicle fusion complexes, 773
sorting mechanisms, 770–772
iterative fractionation, 771
physical sorting, 770–771
signal-mediated sorting, 771–772
specialized endocytic processes, 779–783
antigen presentation, 783
insulin-regulated glucose transport, 782–783
neurons, 781–782
polarized epithelial cells, 779–781
standard metabolic rate and, 741
trafficking through endocytic organelles, 765–774
early and late endocytic compartments, 766–770
acidification, 768–770
definitions and molecular markers, 766–768
morphology, 768
regulation, 772–774
sorting mechanisms, 770–772

β-Endorphin, cortisol secretion in teleost fish, 597

Endothelin, atrial natriuretic peptide release, 495–496

Endotoxic shock, ATP-sensitive potassium channels in, 1215

Energetics, power stroke in striated muscle, 682–683

Energy balance, cytochrome *P*-4502E1 in, 533–534

Enterocyte, plasma membrane lipid composition, in regulation of intestinal sugar transport, 263

Enteroglucagon, regulation of intestinal sugar transport, 288

Environmental salinity, intestinal sugar transport and, 281–282

Enzymes/enzymology
cytochrome *P*-4502E1, 524–528
mitochondrial DNA-encoded enzymes, age-related changes, 429–430
nuclear DNA-encoded enzymes, age-related changes, 430
phospholipase D, 304–305

Epidermal disease
abnormal lipid processing and, 414
cornified envelope and, 412
keratin mutations and, 413–414
keratin structure and assembly and, 412–413
transgenic models, 414–415
growth factors and receptors, 415
human papillomavirus oncogenes, 414–415
mating of transgenic mouse lines, 415
overexpression of normal keratinocyte structural proteins, 415

Epidermal growth factor, regulation of intestinal sugar transport, 288

Epidermal keratinocyte, 397–416
barrier function of skin, 398–399
cornified envelope
cystatin-α, 410–411
elafin/SKALP, 409–410
envelope assembly, 411–412
epidermal disease and, 412
involucrin in, 408
loricrin in, 408–409
other precursors, 411
precursors and assembly, 408–412
small proline-rich proteins, 409
gene expression
early embryonic keratins K8 and K18, 402–403
involucrin gene expression, 404–405
keratin expression in basal keratinocytes, 403–404
loricrin expression, 404
papillomavirus oncogene expression, 405
regulation of, 402–405
structural protein gene expression, 402
suprabasal keratin gene expression, 404
transglutaminase type 1 gene expression, 404
proliferation/differentiation
agents enhancing proliferation, 399–400
calcium in, 401
disease and. *See* Epidermal disease
protein kinase C signaling cascade in, 405–406
proteins regulating, 400
regulation, 399–401
summary and conclusions, 415–416
transcription factors in epidermis, 406–408
vitamin A, vitamin D, and glucocorticoids in, 401

Epithelial sodium channels, 359–385
aldosterone regulation, 377–380
aldosterone effects on tight epithelia, 377–378
epithelial aldosterone-induced proteins, 380
induction vs. activation of sodium channels, 378–379
putative mediators of response to aldosterone, 379–380
amiloride-binding proteins, purification and cloning, 369
amiloride-blockable channel purified from A6 cells and bovine papilla, 375–377
possible relationships to ENaC, 377
biophysical characterization, 363–369
highly sensitive (ENaC type) channels, 364–367
moderately selective channels, 367–368
nonselective ion channels, 368–369
other amiloride-sensitive channels, 367–369
sodium-selective channels in proximal tubule, 367
cloning, purification, and molecular characterization, 369–377
amiloride-binding proteins, 369
amiloride-blockable channel purified from A6 cells and bovine papilla, 375–377
ENaC, 369–375
possible relationships between ENaC and pruified sodium channel, 377

feedback inhibition, 382–385
highly sensitive (ENaC type) channels, 364–367
amiloride interaction, 366–367
cloning, purification, and molecular characterization, 369–375
ENaC and related proteins define a new family of channels, 370–372
ENaC structure-function relationships: open questions, 374–375
involvement in pseudohypoaldosteronism and cystic fibrosis, 374
kinetics of gating, 364–366
membrane topology of ENaC, 372–373
molecular cloning (rat), 369–370
possible relationships between ENaC and purified sodium channel, 377
proline-rich zones in ENaC subunits, 373–374
selectivity, 364
single-channel currents and conductance, 364
sodium dependence of conductance, 364
stretch activation, 367
voltage dependence of conductance, 364
hormonal and intracellular regulation, 377–385
aldosterone, 377–380
feedback and self-inhibition, 382–385
guanine nucleotides and G proteins, 382
insulin, 382
vasopressin, 380–382
low-conductance, sodium-selective, and amiloride-blockable channel. *See* Epithelial sodium channels, highly sensitive (ENaC type) channels
physiological role and biological distribution, 360–363
amphibian skin, 360
excitable cells, 363
intestine, 362
kidney and urinary bladder, 360–362
lung, 362–363
mechanosensory cells, 363
other cells, 363
salt-taste cells, 363
sweat and salivary ducts, 362
self-inhibition, 382–383
vasopressin regulation, 380–382
Erythrocyte(s)
lactate accumulation during exercise, 337
lactate-proton transport, 323
Esophagus, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1214
Ethanol
acute and chronic responses, 1–2
adenosine transport and, 5
γ-aminobutyric acid receptor responses, 3–4
membrane protein function, 2
N-methyl-D-aspartate receptor responses, 2–3
serotonin receptors and, 4
signal transduction and, 5–10
cAMP signal transduction, 5–6
ethanol sensitivity and protein phosphorylation, 8
G protein-coupled receptors, 6–8
adenosine receptors, 7–8
dopamine D_2 receptors, 6
muscarinic receptors, 6–7
opioid receptors, 6
protein kinase A in, 8
protein kinase C-dependent neurite outgrowth, 9
protein kinase C in, 8–9
regulation of gene expression, 9–10
ultrastructural changes in liver and associated induction of other microsomal enzymes, 534–535
voltage-dependent ion channels and, 4–5
Ethanol metabolism, 518
cytochrome *P*-4502E1. *See* Cytochrome *P*-4502E1
hydroxyl radicals in, 521
microsomal ethanol-oxidizing system, 519
Excitation-contraction coupling, ryanodine receptor-dihydropyridine receptor interactions, 714–720
architecture of junctional sarcoplasmic reticulum and its relationship to exterior membranes, 714
dihydropyridine receptors and excitation-contraction coupling, 714–716
functional DHPR-RyR interactions are isoform dependent, 718–720
spatial relationships between RyR and DHPRs, 716–718
Exercise
chronic, intestinal sugar transport in, 273
lactate-proton transport, 333–344
distribution pattern of lactate-proton cotransport capacity in different tissues, 339–340
how lactate is directed between compartments, 339–341
lactate, pH, and muscle fatigue, 342–343
lactate accumulation in erythrocytes, 337
lactate and muscle membrane ion channels, 343–344
lactate dehydrogenase distribution, 340
lactate transport capacity and lactate uptake in muscle, 337–339
osmolality changes and water fluxes during muscle activity, 341–342
sarcolemmal lactate transport, 333–336
Exocytosis, standard metabolic rate and, 741

F

Fatty acids, free, stress response in fish, catecholamines and, 595
Feeding, metabolic rate and, 745
Fiber, dietary, intestinal sugar transport and, 266–267
Fibrillogenesis, amyloid β-peptide, 1097
Fibrosis, mast cells in, 1057–1058
Field metabolic rate, 732
major processes involved in, 744–745
FKBP12, interaction with ryanodine receptor, 710–711
Fluid homeostasis, atrial natriuretic peptide in, 483–490
brain glucose uptake, 490
catecholamines and, 487–488
cerebral circulation, 489–490
gastrointestinal function, 488
memory functions and learning processes, 489
neuronal activity, 487
olfactory bulb mitochondrial function and, 490
regulation of brain water and electrolytes, 490
sodium-potassium-adenosinetriphosphatase inhibitor, 488–489
volume regulation, 483–487
Fluorescence quench, probing calcium influx, 920
FMRFamide-related peptides, insect, 982–983
Folliculostatins, insect, 1005–1006
Folliculostimulins, insect, 1004
Food, caloric density, intestinal sugar transport and, 267–268
Food intake and assimilation, stressed fish, 608
Formula feeding. *See* Infant nutrition
Free radicals. *See* Reactive oxygen species
Fructose, intestinal transport. *See* Intestinal sugar transport

G

Galactose, intestinal transport. *See* Intestinal sugar transport
Gallbladder, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1215

Gap junctions, lens of eye, 28
Gastric function, atrial natriuretic peptide and, 488
Gastric inhibitory peptide, regulation of intestinal sugar transport, 289
Gastrin, regulation of intestinal sugar transport, 288
Gastrointestinal tract, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1214
Gene expression
atrial natriuretic peptide, 473–475
cytochrome *P*-4502E1 (*CYP2E1*), 521–523
ethanol and, 9–10
kainate receptor gene expression in adult cerebral cortex, 229
keratinocyte, 402–405
N-methyl-D-aspartate (NMDA) receptor gene in adult neocortex, 224–225
Gene targeting, selective cellular ablation in developing brain, 202
Genetics, alcoholism, 10
Gene transcription, calcium release-activated (store-operated) calcium current (I_{CRAC}) and, 923
Glucagon-like peptide-1, regulation of intestinal sugar transport, 289–290
Glucocorticoid(s), in epidermal keratinocyte proliferation/differentiation, 401
Gluconeogenesis, standard metabolic rate and, 740–741
Glucose transport
insulin-regulated, 782–783
intestinal. *See* Intestinal sugar transport
Glucose uptake, cerebral, atrial natriuretic peptide in, 490
Glutamate receptors, 217. *See also specific receptors*
AMPA and kainate receptors, 218–219
brief characteristics of physiological properties of subtypes, 218–219
in cortical plasticity, 217–245
concluding remarks, 244–245
cortical plasticity maps in adult animals, 240
developmental plasticity, 239
functional studies, 238–245
long-term potentiation and long-term depression in neocortex, 239–240
NMDA receptors, 240–242
non-NMDA receptors, 242–243
possible mechanisms, 240–244
receptor levels and responsiveness, 243–244
developmentally regulated expression of receptors and their subunits, 233–238
developmental pattern of physiological responses, 231–233
metabotropic receptors, 219
molecular biology, 219
in neocortex, 220–230
localization of functional receptors, 220–230
participation in cortical neuronal responses, 220–222
visualization of receptor mRNAs and proteins, 222–230
AMPA receptors, 226–228
glutamate binding sites, 223
kainate receptors, 228–229
metabotropic glutamate receptors, 229–230
methodological approaches, 222–223
NMDA receptors, 223–226
NMDA receptors, 218
ontogeny, 230–238
AMPA receptors, 235–236
developmentally regulated expression of receptors and their subunits, 233–238
developmental pattern of physiological responses, 231–233
kainate receptors, 236–237
metabotropic glutamate receptors, 237–238
NMDA receptors, 233–235
participation in cortical neuronal responses, 220–222
layer I, 222
layer II/III: cortical integration layers, 221–222
layer IV: termination of thalamocortical afferents, 220–221
Glycolysis, ATP production, standard metabolic rate and, 743
G protein(s)
ADP-ribosylation factor family, phospholipase D regulation, 307–308
calcium channel activation, calcium influx and, 918
heterotrimeric, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 911
regulation of epithelial sodium channels, 382
regulation of Na^+/H^+ exchanger, 63–64
Rho family, phospholipase D regulation, 308–310
small, phospholipase D regulation, 307–310
small molecular weight, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 910
structural similarity to myosin, 677–678
Growth and development
insect hormones, 983–1109
stressed fish, 608
Growth hormone
interactions with atrial natriuretic peptide, 493
stress response in teleost fish, 602
Guanosine 3′,5′-cyclic monophosphate (cGMP), activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 909–910
Guanosine 5′-triphosphate (GTP), GTPγS-binding protein, phospholipase D regulation, 308

H

Heart, stress response in fish, catecholamines and, 595
Heart rate, diving and, 865–869
Heat generation. *See* Thermogenesis
Hepatocyte(s), cytochrome *P*-4502E1 distribution, 528
Hibernation, intestinal sugar transport and, 271
Hippocampus, selective cellular ablation with methylazoxymethanol in developing brain, 204–205
changes in synaptic plasticity, 208–210
Histamine, 1050
Homeobox genes, epidermal, 408
Hormones
hormonal regulation in insects. *See* Insect hormones
immune system effects, stressed fish, 612–614
pituitary
interactions with atrial natriuretic peptide, 490–493
stress response in teleost fish, 602
regulation of intestinal sugar transport, 287–289
reproductive, stress and (teleost fish), 610–611
stress response in teleost fish, 602–603
Host defense function. *See* Defense systems; Immune system
Hydrocephalus, experimental, brain atrial natriuretic peptide (ANP) receptors in, 482
Hydrogen, binding sites, Na^+/H^+ exchangers, 58
Hydromineral balance
hydromineral control in fish, 603
stress response (fish) and, 603–607, 615
Hydroxyl radicals, ethanol metabolism, 521
5-Hydroxytryptamine (5-HT). *See* Serotonin
Hypertension
efferent renal sympathetic nerve activity in, 142–150
experimental, brain atrial natriuretic peptide (ANP) receptors in, 480–481

inwardly rectifier potassium channels in, 1216
Hypothalamic-pituitary axis, anterior pituitary, effects of atrial natriuretic peptide, 491
Hypothalamic-pituitary-gonadal axis, stressed fish, 609–610
Hypothalamic-pituitary-interrenal axis
cortisol functions, 598–599
cortisol secretion, 597–598
cytokine effects, 614–615
effect of stressors on cortisol, 599–600
stress response (fish), 597–600
Hypothalamic-sympathetic-chromaffin cell axis, stress response (fish), 593–597. *See also* Catecholamines
Hypothalamus, selective cellular ablation with methylazoxymethanol in developing brain, 205
Hypoxia, vasodilation, 1194–1196

I

Ichthyosis/ichthyotic disease
abnormal lipid processing in, 414
keratin mutations and, 413–414
keratin structure and assembly, 412–413
lamellar ichthyosis and type 1 transglutaminase mutation, 414
molecular basis, 412–414
Immune system
immunoendocrine relationships, stress and, 612–615
pulmonary host defense
cells involved in, 934–935
immunomodulatory functions of surfactant, 931–954. *See also* Surfactant
Immunocytochemistry
AMPA receptors, 228
kainate receptors, 229
localization of atrial natriuretic peptide in brain and pituitary gland, 467–469
metabotropic glutamate receptors, 230
Immunoglobulin(s)
IgG receptors, non-Fc$_\epsilon$RI dependent mast cell activation, 1050
secretion, surfactant protein A and, 944
Infant nutrition
mineral and trace element absorption
ascorbic acid and citric acid and, 662
calcium absorption, 653
casein and whey proteins and, 657–659
casein phosphopeptides and, 659
copper absorption, 655
effect of individual milk components, 657–664
effect of milk and other infant diets, 652–656
iodine, molybdenum, and chromium absorption, 656
iron absorption, 654
lactoferrin and, 660–662
lactose and other carbohydrates and, 662
magnesium absorption, 653–654
manganese absorption, 655–656
mineral and trace element interactions, 662–663
phytate and, 663–664
selenium absorption, 655
summary and future directions, 664
zinc absorption, 654–655
mineral and trace element distribution in human and cow's milk, 656–657
mineral and trace element intake, 644–649
calcium, 644–645
chromium, 649
copper, 647–648
iodine, 649
iron, 645–646
magnesium, 645
manganese, 648–649
molybdenum, 649
selenium, 648
zinc, 646–647
mineral and trace element requirements, 649–652
assessment of mineral and trace element status, 650–651
balance studies, 651–652
clinical signs of deficiency, 650
factorial method of determination, 649–650
isotope studies of mineral and trace element absorption from breast milk and infant diets, 652
Inflammation, acute, mast cells in, 1063–1064
Inositol 1,4,5-trisphosphate, calcium influx and, 917
Inositol 1,4,5-trisphosphate receptors, pharmacological profile, ryanodine receptors vs., 707–708
Insect hormones, 963–1012
accessory gland myotropins, 981–982
adipokinetic and hypertrehalosemic neuropeptides, 964–970
hormone source, localization, synthesis, and precursors, 964–965
inactivation and metabolism, 969–970
release of adipokinetic hormone, 965
second messenger systems and physiological actions, 968–969
structural data, 965–967
structure-activity and receptor-binding studies, 968
allatinhibin, 1004
bursicon, 1009–1010
cardiostimulatory peptides, 978–979
conclusions and future perspectives, 1010–1012
control of morphological and physiological color changes, 1010
diapause hormones, 1007–1009
ecdysis-triggering and eclosion hormones, 1006–1007
ecdysteroids, 996–1001
biological activity, 999–1000
chemistry and biosynthesis, 996–998
metabolism, 998–999
modes of action, 1000–1001
epithelial hormones and neuropeptides, 983–1009
folliculostatins, 1005–1006
folliculostimulins, 1004
introduction, 964
juvenile hormones and allatoregulating factors, 986–996
chemistry and biosynthesis of juvenile hormones, 986–987
control of juvenile hormone synthesis by allatostatins and allatotropins, 990–994
juvenile hormone degradation, 995
juvenile hormone-like effects of retinoic acid, 995–996
modes of action of juvenile hormones, 987–990
multifunctional role of allatostatins, 994–995
myoinhibitory peptides and FMRFamide-related peptides, 982–983
myokinins, 979–980
neuropeptides and metabolism, 964–977
adipokinetic and hypertrehalosemic neuropeptides, 964–970
antidiuretic neuropeptides, 970, 976–977
diuretic neuropeptides, 970–976
neuropeptides and muscle activity, 977–983
accessory gland myotropins, 981–982
myoinhibitory peptides and FMRFamide-related peptides, 982–983
myokinins, 979–980
periviscerokinin, 931
proctolin and cardiostimulatory peptides, 978–979
pyrokinins/myotropins, 980–981
sulfakinins, 980

tachykinins, 981
periviscerokinin, 981
pheromone biosynthesis activating neuropeptides, 983–986
distribution of PBAN and PBAN-like activity, 985
isolation and identification, 983–984
regulation of pheromone synthesis, 985
signal transduction, 985–986
structure-activity relationships, 984–985
proctolin, 978
PTTH/bombyxin, 1001–1004
pyrokinins/myotropins, 980–981
reproduction, growth, and development, 983–1009
allatinhibin, 1004
diapause hormones, 1007–1009
ecdysiotropic and ecdysiostatic neuropeptides, 1001–1004
ecdysis-triggering and eclosion hormones, 1006–1007
ecdysteroids, 996–1001
folliculostatins, 1005–1006
folliculostimulins, 1004
juvenile hormones and allatoregulating factors, 986–996
pheromone biosynthesis activating neuropeptides, 983–986
PTTH/bombyxin, 1001–1004
vertebrate-type steroids, 1004
sulfakinins, 980
tachykinins, 981
Insulin, regulation of epithelial sodium channels, 382
Intestinal resection, intestinal sugar transport and, 271–272
Intestinal sugar transport, 257–295
adaptation to combined physiological stresses, 273–274
age and, 277–281
adaptation during early development, 277–279
adaptations to aging, 279–280
adaptations to lifelong caloric restriction, 280–281
chronic exercise and, 273
cold stress and, 272
diabetes mellitus and, 274–277
diet effects, 265–271
adaptation to hibernation, 270
changes in caloric density of food, 267–268
changes in carbohydrate levels, 265–266
changes in dietary fiber intake, 266–267
parenteral nutrition and, 270
effects of energy budget or physiological stress, 272–274
environmental salinity and, 281–282
function of regulation, 258–259
intestinal resection and, 271–272
mechanisms of regulation, 262–265
change in turnover number of transporters, 263
changes in affinity constants, 263–264
changes in electrochemical gradient for sodium, 262–263
changes in plasma membrane lipid composition, 263
changes in ratio of transporting to nontransporting cells, 263
changes in site density of transporters, 264–265
changes in surface area, 262
nonspecific mechanisms, 262–263
other nonspecific adaptive mechanisms, 263
specific mechanisms, 263–265
obesity and, 274
paracellular transport, regulation of, 291–293
patterns of regulation, 265–282
adaptations to environmental salinity, 281–282
effects of age, 277–281
effects of diet, 265–271
effects of energy budget or physiological stress, 272–274
effects of intestinal resection, 271–272
effects of pathological stress, 274–277
pregnancy and lactation and, 272–273
reserve uptake capacity, 262
resolution of differences in sugar uptake, 259–262
short-term starvation and, 268–270
signals for regulation, 282–291
basolateral sugar transporter, 285–286
bioactive peptides specifically released by sugar uptake, 289–291
brush-border fructose transport, 284–285
brush-border glucose transport, 283–284
developmental cues, 286–287
endocrine signals, 287–291
enteroglucagon, 288
epidermal growth factor, 288
gastric inhibitory peptide, 289
gastrin, 288
glucagon-like peptide-1, 289–290
hormones and other mucosal growth-regulating factors, 287–289
luminal contents, 288–289
luminal substrate levels, 283–286
neural, hormonal, and other potential regulators, 290–291
neurotensin, 288
polyamines, 289
unsolved problems and future directions, 293
Intestine, epithelial sodium channels, 362
Involucrin
epidermal keratinocyte cornified envelope, 408
gene expression, 404–405
Iodine, dietary intake during infancy, 649
Ion channels
potassium. *See* Potassium channels
skeletal muscle membrane, lactate-proton transport, 343–344
sodium channels. *See* Sodium channels
Iron
absorption from breast milk and infant diets, 654
effect of lactoferrin, 660–662
dietary intake
breast-fed infants, 645–646
formula-fed infants, 646
status, assessment, 650
Ischemia, ATP-sensitive potassium channels in, 1215
Ischemic brain injury, inwardly rectifier potassium channels in, 1215–1216
Isotope studies
mineral and trace element absorption from breast milk and infant diets, 652
potassium channels, 1167

J

Junctin, interaction with ryanodine receptors, 712–713
Juvenile hormones, insect, 986–996

K

Kainate receptors, 218–219
in cortical plasticity, 242
gene expression in adult cerebral cortex, 229
genes, 228–229
immunocytochemistry, 229
ontogeny, 236–237
receptor binding studies, 228
visualization in adult neocortex, 228–229
Kainic acid, selective cellular ablation in developing brain, 200–201

Keratin(s)
gene expression, 402–404
mutations, epidermal disease and, 413–414
structure and assembly, 412–413
Keratinocyte. *See* Epidermal keratinocyte
Ketone metabolism, cytochrome *P*-4502E1 in, 530
Kidney(s)
afferent nerve fibers. *See* Renal function, renorenal reflex control
chemosensitive neurons, 135
circulation
adrenoreceptors and, 101–104
alterations in efferent renal sympathetic nerve activity and, 95–99
effector loci for renal sympathetic nerves, 99–101
neural control, 94–104
efferent renal sympathetic nerve activity, 81–87
adrenergic, 81–82
alterations in, 95–99
cholinergic, 82–83
in chronic sodium-retaining edema-forming states, 150–155
dopaminergic, 82
effector loci within renal microcirculation, 99–101
in hypertension, 142–150
inhibition, renal tubular function and, 108–111
in pathophysiological states, 142–155
regulation, 83–87
renal hemodynamics and, 95–104
renin secretion and, 124–130
stimulation
renal tubular function and, 106–108
renin secretion and, 125–127
epithelial sodium channels, 360–362
innervation
extrinsic, 79–81
intrinsic, 81–94
afferent, 87–89
catecholamine metabolism, 89–90
developmental aspects, 89
efferent, 81–87
postjunctional and extrajunctional receptors, 92–94
prejunctional receptors, 91–92
receptors, 90–94
mechanosensitive neurons, 134–135
neuroanatomy, pharmacology, and physiology, 79–94
sensory neurons, 134–136
chemosensitive neurons, 135
mechanosensitive neurons, 134–135
Kupffer cells, cytochrome *P*-4502E1 distribution, 528

L

Lactate dehydrogenase, lactate distribution in skeletal muscle compartments, 340
Lactate-proton transport
conclusions and perspectives, 349–350
in erythrocytes and other tissues, 323
exercise and, 333–344
differential blood flow and lactate distribution between compartments, 340–341
differential metabolic capacity, 340
distribution pattern of lactate-proton cotransport capacity in different tissues, 339–340
how lactate is directed between compartments, 339–341
lactate, pH, and muscle fatigue, 342–343
lactate accumulation in erythrocytes, 337
lactate and muscle membrane ion channels, 343–344
lactate dehydrogenase distribution, 340
lactate transport capacity and lactate uptake in muscle, 337–339
osmolality changes and water fluxes during muscle activity, 341–342
pH in, 341
sarcolemmal lactate transport, 333–336
identification of transport proteins, 330–333
introduction, 322–323
lactate transport in different tissues, 330–331
tissue affinity for lactate and other monocarboxylates, 330
tissue-specific inhibitor sensitivity, 330–331
regulation, 346–349
long-term adaptations, 347–349
short-term adaptations, 346–347
skeletal muscle, 321–350
exercise and, 333–344
in intact and isolated skeletal muscle, 323–324
lactate transport and muscle fiber type, 329–330
Michaelis constant measurements: theoretical considerations and practical problems, 325–326
model systems: small vesicle and sarcolemmal giant vesicle, 324–325
proteins involved in, 331–333
symmetry and pH dependence of skeletal muscle lactate-proton transporter, 328
transport kinetic model, 326–328
transport kinetic parameters in human skeletal muscle, 329
skeletal muscle pH homeostasis, 344–346
activation of pH-regulating systems, 346
fiber type-specific distribution of pH-regulating transporters, 345–346
stoichiometry of total proton and lactate removal, 344–345
skeletal muscle transporter
isoforms, 331
symmetry and pH dependence, 328
Lactation, intestinal sugar transport in, 272–273
Lactoferrin
bovine, iron absorption and, 660–661
effect on mineral and trace element absorption, 660–662
human, iron absorption and, 661–662
Lactose, effect on mineral and trace element absorption, 662
Learning, atrial natriuretic peptide and, 489
Lectin(s)
collagen-like. *See* Collectins
non-Fc$_\epsilon$RI dependent mast cell activation, 1050
Lens of eye
anatomic organization, 22–23
cellular properties and special problems, 23–24
epithelial-epithelial cell coupling, 28–29
extent of coupling, 28–29
regulation of coupling, 29
structure and molecular composition of junctions, 28
epithelial-fiber cell coupling, 34–35
extent of regional coupling, 35
regulation of coupling, 35
structure and molecular composition of junctions, 35
fiber-fiber cell coupling, 29–34
extent of regional coupling, 31–33
regulation of coupling, 33–34
structure and molecular composition of junctions, 30–31
intercellular coupling, 28–35
epithelial-epithelial cell coupling, 28–29
epithelial-fiber cell coupling, 34–35
fiber-fiber cell coupling, 29–34
Na^+-K^+-adenosinetriphosphatase, 24–26

localization of Na^+/K^+ pumps, 24–25
subunit isoforms of Na^+/K^+ pumps, 24–25
total current generated by Na^+/K^+ pumps, 24
physiological properties, 21–46
transmembrane channels, 26–28
chloride conductance, 27
potassium conductance, 26–27
sodium conductance, 27
water permeability, 27–28
transport properties
angularly circulating fluxes, 42–45
equivalent circuit of lens, 36–38
overview, 35–45
resting voltages, 40–42
water fluxes, 38–39
Leukotriene(s), calcium channel activation, calcium influx and, 918
Lipid(s)
dietary intake, hepatic cytochrome *P*-4502E1 activity, 524–526
in receptor-mediated endocytosis, 763–764
Lipid composition
enterocyte plasma membrane, in regulation of intestinal sugar transport, 263
surfactant, 933
Lipid metabolism
cytochrome *P*-4502E1 in, 530
inborn errors, ichthyotic disorders and, 414
Liver
cytochrome *P*-4502E1 distribution, 528–529
hepatocytes, 528
Kupffer cells, 528–529
ethanol-induced ultrastructural changes and associated induction of other microsomal enzymes, 534–535
ethanol metabolism, 518
Long-term depression, in neocortex, glutamate receptors and, 239–240
Long-term potentiation, in neocortex, glutamate receptors and, 239–240
Loricrin
epidermal keratinocyte cornified envelope, 408–409
gene expression, 404
Lung
epithelial sodium channels, 362–363
surfactant. *See* Surfactant
Lymphocyte(s)
proliferation
effects of surfactant, 952–953
surfactant protein A and, 945
pulmonary host defense, 935

M

Macropinocytosis, 786
Magnesium
absorption from breast milk and infant diets, 653–654
dietary intake
breast-fed infants, 645
formula-fed infants, 645
placental transfer, 822–823
status, assessment, 650
Manganese
absorption from breast milk and infant diets, 655–656
dietary intake
breast-fed infants, 648–649
formula-fed infants, 649
probing calcium influx, 920
status, assessment, 651
Mannose-binding protein. *See also* Collectins
deficiency, genetic basis for, 937–938
functions, 936–937
Mast cells, 1033–1065
activation, 1044–1050
Fc$_\epsilon$RI dependent, 1044–1048
IgE binding, 1044–1045
receptor structure, 1044
signaling events, 1045–1048
non-Fc$_\epsilon$RI dependent, 1048–1050
anaphylatoxins, 1050
basic compounds, 1048–1049
cytokines, 1049–1050
dextrans and lectins, 1050
low-affinity IgG receptors, 1050
peptides, 1049
in acute inflammation, 1063–1064
adhesion, 1041–1044
to connective tissue matrix, 1041–1043
to other cells, 1043–1044
in angiogenesis, 1058–1059
biological functions, 1056–1064
conclusions, 1064–1065
in fibrosis, 1057–1058
growth and differentiation, 1036–1041
animal studies, 1036–1039
apoptosis, 1040–1041
origin of human mast cells, 1039–1040
heterogeneity, 1034–1036
introduction, 1033–1034
mediators, 1050–1053
cytokines and chemokines, 1052–1053
granule-associated mediators, 1050–1052
histamine, 1050
lipid-derived mediators, 1052
neutral proteases, 1051
proteoglycans, 1050–1051
T cell responses and, 1060–1062
nervous system interactions, 1059–1060
in parasitic infestations, 1062–1063
postdegranulation events, 1053–1056
immediate reaction, 1053–1055
late-phase reaction, 1055–1056
Mechanical stimulation, regulation of Na^+/H^+ exchanger, 65
Melanocyte-stimulating hormone, atrial natriuretic peptide release, 496
α-Melanocyte-stimulating hormone, cortisol secretion in teleost fish, 597
Melanophore-concentrating hormone (MCH), stress response in teleost fish, 602
Membrane protein(s), ethanol sensitivity, 2
Memory, atrial natriuretic peptide and, 489
Metabolic disorders, intestinal sugar transport and, 274–277
Metabolic rate
cold-induced thermogenesis and, 744–745
diving and. *See* Diving
feeding-induced thermogenesis and, 745
muscle use-induced thermogenesis and, 745
standard metabolic rate in mammals, 731–754. *See also* Standard metabolic rate
stressed fish, 608
Metabotropic glutamate receptors, 219, 229–230
in cortical plasticity, 242–243
gene expression in adult neocortex, 230

genes, 229–230
immunocytochemistry, 230
ontogeny, 237–238
receptor binding studies, 229
Methylazoxymethanol, selective cellular ablation in developing brain, 202–203
cerebellar cells, 205–206, 210
changes in laminar fate in cortex, 206–207
consequences, 206–210
cortical neurons, 203–204
developmental lesions and brain aging, 211
hippocampal neurons, 204–205, 208–210
hypothalamic neurons, 205
lack of target dependence for neuronal survival, 207–208
neurogenetic time table and, 203–206
olfactory bulb cells, 206
rearrangement of neuronal connectivity in cerebellum and, 210
striatal cells, 205
synaptic plasticity in hippocampus and, 208–210
thalamic neurons, 205
Michaelis constant measurements, lactate-proton transport in skeletal muscle, 325–326
Microsomal ethanol-oxidizing system, 519
differentiation from alcohol dehydrogenase and catalase, 519
reconstitution, 521
Microtubule motors, structural homology with myosin, 676–677
Milk/milk components, effect on mineral and trace element absorption during infancy, 652–664
Minerals. *See also specific minerals*
absorption during infancy, effects of milk/milk components. *See* Infant nutrition
distribution within breast milk and infant diets, 656–657
hydromineral balance, stress response (fish) and, 603–607
placental transfer. *See* Placental transfer
***minK* gene**
cloning, 628
organization, 629–630
minK potassium channel protein, 627–639
a channel itself(?), 632–635
evidence for association of minK protein with endogenous factors, 633–634
evidence that minK protein forms a structural component of a potassium channel, 632–633
interaction of minK with the K_vLQT1 channel, 634–635
number of minK proteins necessary to make a channel, 635
characteristics of minK current, plasma membrane level of minK protein and, 631–632
cloning of *minK* gene, 628
developmental and hormonal regulation, 637–638
introduction, 627–628
location of expression, 629
modulation of minK currents, 636–637
adenosine 3′,5′-cyclic monophosphate, 636
intercellular calcium, 636–637
protein kinase C, 636
native currents that are candidates for minK currents, 638
pharmacology of minK current, 632
predicted structure, 628–629
properties of minK current, 630–631
summary, 638–639
very slowly activating potassium currents, 628
Mitochondria, 425–428
age-related changes, 428–453
functional, 429–433
morphological, 428–429
trial to prevent age-related damage, 451–453
in apoptosis, 451
functional age-related changes, 429–433
age-related diseases, 430–431
diseases with premature aging, 431–433
mitochondrial DNA-encoded enzymes, 429–430
nuclear DNA-encoded enzymes, 430
mitochondrial DNA and its mutations, 433–449. *See also* Mitochondrial DNA
morphological age-related changes, 428–429
histochemical changes, 428–429
histological changes, 428
olfactory bulb, atrial natriuretic peptide and, 490
proton leak, standard metabolic rate and, 735–736
theories of aging and relevance to human aging, 449–451
Mitochondrial DNA, 425–428
deletions and duplications, 439–447
classification, 439
type A large deletion, 439–442
mechanism for generation of deletion, 441
occurrence, 439–440
origin of deletion, 440–441
relevance of large deletion to phenotype, 441–442
shift of genotype during development, 440
type B large deletion, 442–447
increase in large deletion associated with age, 442–443
mechanism for generation of large deletion, 443–445
occurrence, 442
relevance of deletions to phenotype, 445–447
enzymes, age-related changes, 429–430
oxidative damage, 447–449
point mutations, 433–439
complementation, 437
generation of, 437–438
heteroplasmy, 435–436
phylogeny, 433–435
relevance to aging and disease of aging, 438–439
repair system, 438
segregation and threshold expression, 436–437
shift of mtDNA genotype during development, 436
rearrangement, 447
Molecular biology, glutamate receptors, 219
Molybdenum, dietary intake during infancy, 649
Multidrug resistance (MDR), 545
Multidrug resistance (MDR) proteins. *See* P-glycoprotein(s)
Muscarinic receptors, ethanol and, 6–7
Muscle fatigue
lactate-proton transport during muscle activity, 343
pH-related effects, 342
Myoinhibitory peptides, insect, 982–983
Myokinin(s), insect, 979–980
Myosin
nucleotides complexed with, structure, 675–676
structural homology with microtubule motors, 676–677
structural similarity to G proteins, 677–678
structure, 672–674
two-headed structure, role in power stroke in striated muscle, 682
Myotropin(s), insect, 980–981
accessory gland myotropins, 981–982

N

NAADP. *See* Nicotinic acid adenine dinucleotide phosphate
Na^+/H^+ exchanger, 51–67
functional domain structure, 56–59

amiloride binding site, 57–58
oligomeric structure, 59
sodium and hydrogen binding sites, 58
two major functional domains, 56–57
isoforms, 52–56
amiloride binding site, 57–58
kinetics and pharmacology, 55–56
primary and secondary structure, 52–53
targeting and tissue localization, 53–55
two major functional domains, 56–57
regulation, 59–67
ATP depletion, 64–65
calcium/calmodulin, 59–61
calcium/calmodulin-dependent protein kinase II, 62
calcium/phospholipid-dependent protein kinase (PKC), 61
cAMP-dependent protein kinase, 61–62
direct phosphorylation by protein kinase(s), 62–63
G protein, 63–64
long-term, 66–67
mechanical stimuli, 65
protein kinases, 61–63
Na^+-K^+-adenosinetriphosphatase
lens of eye, 24–26
localization of Na^+/K^+ pumps, 24–25
subunit isoforms of Na^+/K^+ pumps, 24–25
total current generated by Na^+/K^+ pumps, 24
standard metabolic rate, 738
Na^+-K^+-adenosinetriphosphatase inhibitor, atrial natriuretic peptide and, 488–489
Natriuretic peptide, brain, 500–501
Nephrotic syndrome, efferent renal sympathetic nerve activity in, 150–155
Nervous system, mast cell interactions, 1059–1060
Neurite(s)
growth, outgrowth-promoting activity of β-amyloid precursor protein, 1088–1089
growth, ethanol and, 9
Neuroendocrine pathways, atrial natriuretic peptide release, 498
Neuroendocrine peptides, stress response in teleost fish, 601–602
Neurons
β-amyloid precursor protein functions, 1087–1093. *See also* β-Amyloid precursor protein(s)
cortical. *See* Cortical neurons
endocytosis, 781–782
Neuroparsin(s), insect, 1004–1005
Neuropeptide(s)
insect hormones. *See* Insect hormones
vasodilator, ATP-sensitive potassium channel response to, 1191
Neuropeptide Y
atrial natriuretic peptide release, 496
renal secretion, 132
Neuropeptide Y_2 receptors
postjunctional/extrajunctional, renal innervation, 94
prejunctional, renal innervation, 92
Neurotensin, regulation of intestinal sugar transport, 288
Neurotoxicity, amyloid β-peptide, 1097–1098
factors that affect neuron vulnerability to Aβ toxicity, 1106–1108
mechanism of, 1099–1106
presenilin mutations and, 1113
structure and domains involved in, 1097–1098
Neurotransmitters, stress response in teleost fish, 601
Nicotinic acid adenine dinucleotide phosphate (NAADP)
activation of Ca^{2+}-release mechanism in sea urhcin eggs, 1148–1149
analogs, 1141–1143
caged, 1142–1143
calcium oscillation induced by photolyzing caged NAADP, 1150
calcium release activity, 1138
calcium signaling. *See* Calcium mobilization
discovery of, 1137
self-desensitization mechanism, 1149–1150
Nitric oxide
activation of cADPR pathway in PC12 cells, 1146–1147
activation of cADPR pathway in sea urchin eggs, 1145–1146
vascular smooth muscle functions of ATP-sensitive potassium channels (K_{ATP}), 1192
***N*-methyl-D-aspartate (NMDA) receptor(s),** 217
in cortical plasticity, 240–242
in developmental plasticity, 239
ethanol effects, 2–3
gene expression in adult neocortex, 224–225
in long-term potentiation and long-term depression in neocortex, 239–240
ontogeny, 233–235
physiological properties, 218
visualization in neocortex, 223–226
genes encoding NMDA receptor subunits, 224
receptor binding studies, 223–224
Norepinephrine, renal tubular function, 121–123

O

Obesity
cytochrome *P*-4502E1 in, 530
intestinal sugar transport and, 274
Olfactory bulb
mitochondria, atrial natriuretic peptide and, 490
selective cellular ablation with methylazoxymethanol in developing brain, 206
Oncogene(s), papillomavirus oncogene expression, 405
Opioid(s)
atrial natriuretic peptide release, 496–497
stress response in teleost fish, 602
Opioid receptors, ethanol and, 6
Ovary
folliculostimulins, insect, 1004–1005
oostatic hormones, insect, 1005–1006
Oxidative stress, in alcoholic liver disease, cytochrome *P*-4502E1 in, 531–533
Oxygen consumption, nonmitochondrial, standard metabolic rate and, 735
Oxygen free radicals. *See* Reactive oxygen species
Oxygen transport, blood, catecholamines and, 595
Oxytocin, atrial natriuretic peptide release, 497

P

Papillomavirus, oncogene expression, 405
Parasitic infestations, mast cells in, 1062–1063
Parathyroid hormone, placental transfer of calcium, 821–822
Parathyroid hormone-related protein, placental transfer of calcium, 821–822
Parenteral nutrition, intestinal sugar transport and, 270
Parsin, insect, 1004
Patch-clamp study, probing calcium influx, 920
Peptide(s), in receptor-mediated endocytosis, 761–762
Perivisceroknin, insect, 981
P-glycoprotein(s), 545–583
biochemistry and molecular biology, 571–577
adenosinetriphosphatase function, 573–575

azido photoaffinity labels as probes of ligand binding sites, 572–573
site-directed mutagenesis, 575–577
correlations between multidrug resistance function and other transport modalities, 577–579
function reversers, 561–571
appendix, 581–583
are reversers themselves substrates, 566–568
case in which reverser is pumped out of cell by P-glycoprotein: "autopump" kinetics, 582–583
cooperativity between pairs of reverser molecules, 565–566
interaction between reversers, 583
interactions between pairs of reversers, 568–571
interpretation of apparent K_i values for action of reversers in reverse cell killing and drug accumulation, 581–582
relative ability to block drug accumulation or to increase cell killing, 563–565
structure-activity relations, 561–563
introduction, 545–548
ligand-binding sites, azido photoaffinity labels as probes for, 572–573
mechanism of action, possible models, 579–581
mutagenesis, site-directed, 575–577
quantitative interrelationships between permeability, drug pumping, and multidrug resistance for P-glycoprotein, 560
redistribution of cytotoxins as between nucleus and cytoplasm, 561
uptake and efflux kinetics of multidrug resistance substrates, 548–561. *See also* Chemotherapy
cytotoxin movement across cell membranes when no pump is present, 548–551
cytotoxin movement in pump/leak system, 551–561

pH
homeostasis, lactate-proton transport in skeletal muscle, 344–346
intracellular, feedback and self-inhibition of epithelial sodium channels, 384
lactate-proton transport in skeletal muscle, 328, 341
muscle fatigue, 342
vasodilation, 1193–1194

Phagocytosis, 783–784
surfactant, 950–951

Pheromone biosynthesis activating neuropeptides, 983–986. *See also* Insect hormones

Phosphatase, degradation of cADPR and NAADP, 1155

Phosphate
placental transfer, 823–824
release, in actomyosin interaction, 680–681

Phosphatidylinositol 4,5-bisphosphate, phospholipase D regulation, 310–311

Phosphatidylinositol 3-kinases, regulation of endocytosis, 774

Phospholipase D, 303–314
activation, protein kinase C in, 305–307
enzymology, 304–305
functional significance, 311–314
regulation, 305
ADP-ribosylation factor in, 307–308
calcium ions in, 307
phosphatidylinositol 4,5-bisphosphate, 310–311
protein kinase C in, 305–307
Rho family of small G proteins, 308–310
soluble tyrosine kinases and novel serine/threonine kinasas, 311

Phylogeny, species differences in standard metabolic rate, 751

Physiological stress, intestinal sugar transport and, 272–274

Phytate, dietary, effect on mineral and trace element absorption during infancy, 663–664

Pigment synthesis, hormonal control of morphological and physiological color changes in insects, 1010

Pituitary gland, atrial natriuretic peptide in. *See* Atrial natriuretic peptide

Pituitary hormones
interactions with atrial natriuretic peptide, 490–493
posterior pituitary, interactions with atrial natriuretic peptide, 490–491
stress response in teleost fish, 602

Placental barrier, 806–814
methods and preparations in transfer studies, 806–807
morphology, 806
passive properties of placenta, 807–808

Placental transfer, 805–830
calcium, 819–822
calcitonin and, 822
cellular transfer mechanisms, 819–820
calcium-binding protein, 820
entry into trophoblast, 819–820
extrusion from trophoblast, 820
control mechanisms, 820–822
1,25-dihydroxycholecalciferol and, 821
parathyroid hormone/parathyroid hormone-related protein and, 821–822
transplacental transfer, 819
chloride, 817–818
membrane transfer mechanisms, 817
transplacental transfer, 817–818
gestational changes, 811–812
inorganic ions and water, 814–830
conclusions, 828–830
preliminary considerations, 814
interspecies differences, 811
introduction, 805–806
magnesium, 822–823
maternal-fetal potential difference, 812–814
membrane models of placenta, 809–810
epitheliochorial placenta of sheep, 810
hemochorial placentas, 809–810
methods and preparations in transfer studies, 806–807
cellular and subcellular preparations in vitro, 807
intact animals, 806–807
perfused placenta, 807
passive properties of placenta, 807–808
pathways and mechanisms, 808–811
extraplacental transfer, 810–811
membrane models of placenta, 809–810
paracellular transfer, 808
transcellular transfer, 809
phosphate, 823–824
control mechanisms, 823–824
membrane transfer mechanisms, 823
transplacental transfer, 823
placental barrier, 806–814
potassium, 818–819
membrane transfer mechanisms, 818
transplacental transfer, 818–819
sodium, 814–817
control mechanisms, 816–817
membrane transfer mechanisms, 815
transplacental transfer, 815–816
water, 824–828
control mechanisms, 828
driving forces, 824
epitheliochorial placenta of sheep, 824–827
hydraulic conductivity of placenta, 826
models, 826–827

osmotic paradox, 824–825
reflection coefficients, 825–826
hemochorial placenta, 827–828
Plasticity
cortical. *See* Cortical plasticity
synaptic. *See* Synaptic plasticity
Polarized epithelial cells, endocytosis, 779–781
Polyamines, regulation of intestinal sugar transport, 289
Polymorphonuclear leukocytes, pulmonary host defense, 934–935
Polypeptide YY, atrial natriuretic peptide release, 496
POMC-derived peptides, stress response in teleost fish, 601
Potassium, placental transfer, 818–819
Potassium channels
in alcoholism, 5
ATP-sensitive (K_{ATP}), 1166
cellular mechanisms regulating, 1184–1189
cellular metabolic state, 1184
cellular rundown, 1188–1189
protein kinases, 1184–1188
summary, 1189
channel activators, 1202–1213
anesthetics, 1212
effects of openers on K_{ATP} channels, 1204–1206
factors regulating arterial responses to K^+ channel openers, 1204
functional studies of K^+ channel openers, 1202–1204
mechanisms by which openers activate K_{ATP} channels, 1207–1210
possible contribution of endothelial K_{ATP} channels to the response to K^+ channel openers, 1213
receptor for K^+ channel openers, 1206–1207
role of K^+ channel activation in dilations, 1210–1212
selectivity of openers for K_{ATP} channels, 1212
channel inhibitors, 1198–1202
other inhibitors, 1201–1202
sulfonylureas, 1198–1201
channel rundown, 1188–1189
density, 182–1183
in diabetes, 1215
in endotoxic shock, 1215
functions, in vascular smooth muscle, 1190–1197
inhibition by ATP, 1179–1180
in ischemia and reactive hyperemia, 1215
lack of voltage dependence, 1178–1179
in nonvascular smooth muscle, 1213–1215
airways, 1213–1214
esophagus and gastrointestinal tract, 1214
gallbladder, 1215
urinary tract, 1214–1215
uterus, 1215
in pathological conditions, 1215–1216
pharmacology, 1197–1213
channel activators, 1202–1213
channel inhibitors, 1198–1202
properties, 1176–1184
regulation
cellular mechanisms, 1184–1189
comparison with modulation of K_{ATP} in nonsmooth muscle cells, 1188
nucleoside diphosphates, 1180–1182
single-channel conductance, 1176–1178
single-channel kinetics, 1178
types of, 1183–1184
vascular smooth muscle functions, 1190–1197
adenosine and, 1192
β-adrenergic receptors and, 1191–1192
effects on membrane potential and basal tone, 1190–1191
endothelial factors and, 1192
hypoxia-associated dilation, 1194–1196
nitric oxide and, 1192
peptides/neuropeptides and, 1191
pH-induced vasodilation, 1193–1194
prostacyclin and, 1192
response to vasodilator transmitters, 1191–1193
summary, 1197
vasoconstrictors, 1196–1197
conclusions, 1216
inwardly rectifier (K_{IR}), 1166
blockers, 1174
effects of voltage and K^+ on gating, 1173
in hypertension, 1216
in ischemic brain injury, 1215–1216
Kir6.0 and sulfonylurea receptor, 1171–1172
Kir2.0 (strong inward rectifiers), 1169–1171
molecular structure, 1168–1172
in pathological conditions, 1215–1216
properties of K_{IR} currents, 1173–1174
roles in smooth muscle function, 1174–1176
K^+ as local vasodilator, 1175–1176
resting membrane conductance, 1174–1175
in smooth muscle, 1172–1176
lens of eye, 26–27
minK potassium channel protein, 627–639. *See also* minK protein
smooth muscle, 1165–1216
ATP-sensitive. *See* Potassium channels, ATP-sensitive
channel classification and nomenclature, 1167
conclusions, 1216
introduction, 1166–1167
inwardly rectifier (K_{IR}). *See* Potassium channels, inwardly rectifier
study methods, 1167–1168
study methods, 1167–1168
electrophysiology, 1167
measurements of tracer flux, 1167–1168
measuring functional consequences of activity in vivo, 1168
recordings of smooth muscle contraction, 1168
very slowly activating potassium currents, 628
POU homeodomain factors, epidermal transcription factors, 407
Power stroke. *See* Actomyosin interaction
Pregnancy, intestinal sugar transport in, 272–273
Presenilin mutations, amyloid β-peptide neurotoxicity and, 1113
Prion disease, endocytosis and, 788
Proctolin, muscle activity (insect), 978
Prolactin
interactions with atrial natriuretic peptide, 492–493
stress response in teleost fish, 602
Proline-rich proteins, small, epidermal keratinocyte cornified envelope, 409
Prostacyclin, vascular smooth muscle functions of ATP-sensitive potassium channels (K_{ATP}), 1192
Prostaglandin(s)
activation of renal sensory receptors, 139–140
renal secretion, 130–132
renin secretion rate and, 131–132
renal tubular function, 120
Proteases, mast cell, 1051
Protein kinase(s)
cAMP-dependent, regulation of ATP-sensitive potassium channels, 1184–1187
cGMP-dependent, regulation of ATP-sensitive potassium channels, 1187
regulation of ATP-sensitive potassium channels, 1184–1188
regulation of Na^+/H^+ exchanger, 61–63
Protein kinase A, ethanol and, 8
Protein kinase C

activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 912
in epidermal keratinocyte proliferation/differentiation, 405–406
ethanol and, 8–9
modulation of minK currents, 636
phospholipase D activation, 305–307
regulation of ATP-sensitive potassium channels, 1187–1188
regulation of Na^+/H^+ exchanger, 61
Protein phosphorylation, ethanol and, 8
Protein-protein interactions, ryanodine receptors, 710–714
Protein turnover, standard metabolic rate, 738–739
Proteoglycans, mast cell, 1050–1051
Pseudohypoaldosteronism, epithelial sodium channels in, 374
P-to-O ratio, standard metabolic rate and, 736–737
Pulmonary host defense, 931–932
alveolar macrophages, 934
alveolar type II cells, 935
cells involved in, 934–935
collectins in, 935–950
immunomodulatory functions of surfactant, 932–954. *See also* Surfactant
lymphocytes, 935
polymorphonuclear leukocytes, 934–935
surfactant replacement therapy and, 953–954
"whole" surfactant and surfactant lipids in, 950–953
Pyrokinin(s), insect, 980–981

R

Rab proteins, regulation of endocytosis, 773–774
Radioimmunoassay
adenosine 5′-cyclic diphosphate-ribose (cADPR), 1147–1148
localization of atrial natriuretic peptide in brain and pituitary gland, 467–469
Reactive hyperemia, ATP-sensitive potassium channels in, 1215
Reactive oxygen species, production
effects of surfactant, 951
regulation via standard metabolic rate, 753
surfactant protein A and, 943–944
surfactant protein D and, 949
Renal function
atrial natriuretic peptide and, 485–486
neural control, 75–156
in chronic sodium-retaining edema-forming states, 150–155
in hypertension, 142–150
introduction, 76–79
renal circulation, 94–104
renal hormonal secretion, 124–132
renal tubular function, 104–124
renorenal reflex control, 132–142
neuroanatomy, pharmacology, and physiology, 79–94
neuropeptide Y secretion, 132
prostaglandin secretion
interactions, 130–131
neural control, 130–132
renin secretion and, 131–132
renal tubular function
acute renal dennervation and, 104–106
adrenoceptors and, 114–119
chronic renal dennervation and, 111–114
direct stimulation of efferent renal sympathetic nerves and, 106–107
experimental design of studies, 123–124
interactions with other hormonal substances, 119–121
intracellular mechanisms, 121–123
neural control, 104–124
reflex inhibition of efferent renal sympathetic nerve activity and, 108–111
reflex stimulation of efferent renal sympathetic nerves and 107–108
renin secretion
adrenoceptors and, 129–130
alterations in efferent renal sympathetic nerve activity and, 125–127
interaction between neural and nonneural mechanisms, 127–129
neural control, 124–130
renal prostaglandin secretion and, 132
renorenal reflex control, 132–142
activation of renal mechano- and chemosensitive afferent nerve fibers, 134–142
electrical stimulation of afferent renal nerves, 134
renal dennervation and, 132–134
Renin, renal secretion
neural control, 124–130
renal prostaglandin secretion and, 131–132
Renorenal reflexes, 132
activation of renal mechano- and chemosensitive afferent nerve fibers, 134–142
adenosine in, 140–141
bradykinin in, 140
calcitonin gene-related peptide in, 138–139
interaction between ERSNA and ARNA, 138
intracellular mechanisms, 141–142
mediators involved in renal sensory receptor activation, 138–140
modalities of renal sensory neurons, 134–136
prostaglandins in, 139–140
response in dogs, cats, rabbits, and monkeys, 136–137
response in rats, 137–138
substance P in, 138–139
types of afferent nerve fibers, 136
control of renal function, 132–142
electrical stimulation of afferent renal nerves, 134
mechanosensitive neurons, 134–135
renal denervation and, 132–134
Reproductive function
insect hormones, 983–1106
stressed fish, 609–611
Respiration, stress response in fish, catecholamines and, 594
Retinoic acid
activation of cADPR pathway in HL-60 cells, 1147
juvenile hormone-like effects (insect), 995–996
Rho family of small G proteins, phospholipase D regulation, 308–310
RNA turnover, standard metabolic rate, 739–740
Ryanodine, complex action, 706–707
Ryanodine receptors, 699–720
conclusions, 720
developmental regulation, 708
in excitation-contraction coupling. *See* Excitation-contraction coupling
functional domains, 708–709
isoforms
specific properties, 704
tissue distribution, 701–705
why skeletal muscle has two ryanodine receptor isoforms, 704–705
isolation and characterization, 700–701
pharmacological profile, inositol 1,4,5-trisphosphate receptor vs., 707–708
protein-protein interactions, 710–714
calsequestrin, 713–714
FKBP12: a stabilizing factor, 710–711

junctin, 712–713
other junctional sarcoplasmic reticulum proteins, 711–714
triadin, 711–712
ryanodine receptor channel function and modulation, 705–708
agents affecting channel activity, 705–706
complex action of ryanodine, 706–707
different pharmacological profiles of ryanodine receptors and inositol 1,4,5-trisphosphate receptors, 707–708
sequence and primary structure, 705
three-dimensional structure, 710
tissue distribution, 701–705
one vs. two ryanodine receptors in skeletal muscle, 702–704
three ryanodine receptor isoforms in a variety of tissues, 701–702
why skeletal muscle has two ryanodine receptor isoforms, 704–705

S

Salivary ducts, epithelial sodium channels, 362
Salt appetite, atrial natriuretic peptide and, 483–485
Salt-taste cells, epithelial sodium channels, 363
Sarcoplasmic reticulum
junctional, architecture, relationship to exterior membranes, 714
junctional proteins, interactions with ryanodine receptors, 711–714
Sea urchin eggs
activation of cADPR pathway by nitric oxide, 1145–1146
cell model for investigating calcium mobilization, 1135
NAADP activation of Ca^{2+}-release mechanism in, 1148–1149
β-Secretase, cleavage of β-amyloid precursor protein, 1111–1112
Selenium
absorption from breast milk and infant diets, 655
dietary intake
breast-fed infants, 648
formula-fed infants, 648
status, assessment, 651
Self-inhibition, epithelial sodium channels, 383
Serine/threonine kinase, phospholipase D regulation, 311
Serotonin receptors, in alcoholism, 4
Shock, endotoxic, ATP-sensitive potassium channels in, 1215
Skeletal muscle
activity
metabolic rate and, 745
neuropeptides and (insects), 977–983
actomyosin interaction, 671–694. *See also* Actomyosin interaction
contraction, standard metabolic rate, 738
excitation-contraction coupling, ryanodine receptor-dihydropyridine receptor interactions, 714–720
lactate-proton cotransport, 321–350. *See also* Lactate-proton transport
pH homeostasis, lactate-proton transport, 344–346
ryanodine receptors of striated muscle, 699–720. *See also* Ryanodine receptors
Skin
barrier function, 398–399
epidermal keratinocyte. *See* Epidermal keratinocyte
epidermal transcription factors, 406–408
activator protein 1, 406–407
activator protein 2, 406–407
basonuclin, 408
Hox-B6, 408
POU homeodomain factors, 407
STAT (signal transducer and activator of transcription proteins) factors, 407–408
epithelial sodium channels, 360
Smooth muscle, potassium channels. *See* Potassium channels, ATP-sensitive; Potassium channels, inwardly rectifier
Sodium
binding sites, Na^+/H^+ exchangers, 58
feedback and self-inhibition of epithelial sodium channels, 383
placental transfer, 814–817
in regulation of intestinal sugar transport, 262–263
Sodium channels
epithelial. *See* Epithelial sodium channels
lens of eye, 27
Sodium/hydrogen exchanger. *See* Na^+/H^+ exchanger
Sodium-potassium-adenosinetriphosphatase. *See* Na^+-K^+-adenosinetriphosphatase
Sodium retention, chronic, efferent renal sympathetic nerve activity in, 150–155
Solubility/diffusion model, cytotoxin movement across cell membranes when no pump is present, 549–550
Somatolactin, stress response in teleost fish, 602
Spinal cord, atrial natriuretic peptide in, 471–472
Standard metabolic rate, 731–754
changes and differences, 749–751
causes of species differences related to body size and phylogeny, 750–751
control of cellular respiration, 749–750
conclusions, 753–754
contribution of ATP-consuming reactions in major oxygen-consuming tissues, 737–741
Ca^{2+}-ATPase, 738
endocytosis, 741
enzyme phosphorylation and signal transduction, 740
exocytosis, 741
gluconeogenesis, 740–741
muscle contraction, 738
Na^+-K^+-ATPase, 738
protein turnover, 738–739
RNA and DNA turnover, 739–740
substrate cycles, 739
urea synthesis, 740–741
contribution of different tissues, 734–735
contribution of major processes to field and maximal metabolic rate, 744–745
cold-induced thermogenesis, 744–745
feeding-induced thermogenesis, 745
muscle use-induced thermogenesis, 745
contribution of non-ATP-consuming reactions in major oxygen-consuming tissues, 735–737
mitochondrial proton leak, 735–736
nonmitochondrial oxygen consumption, 735
P-to-O ratio and H^+ stoichiometries, 736–737
functions, 751–753
heat production, 752
high SMR enables high maximal and field metabolic rate, 752
maintenance of cellular composition against undesigned uncoupling reactions, 751–752
regulation of harmful free radical production, 753
SMR increases potential for regulation, 753
summary, 753
heat production and free energy dissipation, 745–749
distribution of energy dissipation, 748–749
free energy dissipation and efficiency, 747–748
thermogenesis and enthalpy dissipation, 745–747
introduction, 732–733
origin
contribution of different tissues, 734–735
contribution of non-ATP-consuming reactions in major oxygen-consuming tissues, 735–737
quantitative assessment, 733–743
summary, 743

reactions that uncouple standard metabolism and, 742–743
relative ATP use by cellular ATPases and, 742
service functions and, 741–742
species differences related to body size and phylogeny, 750–751
body mass-related changes in metabolic rate, 750–751
metabolic rate and phylogeny, 751
summary, 751
substrate utilization and glycolytic ATP production in, 743
Starvation
cytochrome *P*-4502E1 in, 530
short-term, intestinal sugar transport and, 268–270
STAT (signal transducer and activator of transcription proteins) factors, epidermal transcription factors, 407–408
Staurosporine, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 912
Stress response (fish), 591–618
central neurotransmitters in, 601
conclusions, 616–618
hormones in, 602–603
hydromineral balance, 603–607
hydromineral control in fish, 603
stressors and branchial function, 605–607
stressors and branchial structure, 603–605
hypothalamic-pituitary-gonadal axis, 609–610
hypothalamic-pituitary-interrenal axis, 597–600
cortisol functions, 598–599
cortisol secretion, 597–598
control of, 597–598
effect of stressors on cortisol, 599–600
hypothalamic-sympathetic-chromaffin cell axis, 593–597
catecholamine functions, 594–596
blood glucose and free fatty acid levels and, 595–596
blood oxygen transport capacity and, 595
respiratory and cardiovascular effects, 594–595
catecholamine secretion, control of, 593–594
effects of stressors on catecholamines, 596–597
introduction, 592–593
modifying factors, 615–616
additional stressors, 615
life stage, 615
mineral and ionic composition of water, 615
population and individual characteristics, 615–616
social interactions and crowding, 615
neuroendocrine peptides in, 601–602
Arginine vasotocin, 601
corticotropin-releasing hormone, 601
melanophore-concentrating hormone, 602
opioid factors, 602
POMC-derived peptides, 601
thyrotropin-releasing hormone, 601
urotensin-1, 601
pituitary hormones in, 602
stress, growth, and energy balance, 607–609
endocrine control of growth during stress, 608–609
growth and stress, 608
stress and defense system, 611–615
defense system of fish, 611
hormone effects on immune system, 612–614
immunoendocrine relationships, 612–615
stressors and defense system of fish, 611–612
stress and reproduction, 609–611
hypothalamic-pituitary-gonadal axis, 609–610
reproductive hormones and stressors, 610–611
Striated muscle
actomyosin interaction, 671–694. *See also* Actomyosin interaction
ryanodine receptors, 699–720. *See also* Ryanodine receptors
Striatum, selective cellular ablation with methylazoxymethanol in developing brain, 205
Stroke volume, diving and, 869–871
Substance P, activation of renal sensory receptors, 138–139, 141
Sulfakinin(s), insect, 980
Sulfonylureas, inhibition of ATP-sensitive potassium channels in smooth muscle, 1198–1201
cloning the SUR, 1199–1200
mechanism of action, 1200–1201
relationship between SURs and K_{ATP} channels, 1198–1199
selectivity for K_{ATP} channels, 1201
SURs and K_{ATP} channels in muscle cells, 1199
Surfactant, 932–934
components and metabolism, 933–934
definition, 932
host defense functions
chemotaxis, 952
free radical production, 951–952
lymphocyte proliferation, 952–953
phagocytosis and killing of microorganisms, 950–951
proteins (collectins), 935–950
summary, 953
"whole" surfactant and lipid components, 950–953
lipid composition, 933
method of isolation, 932–933
proteins, 933–934
host defense functions of collectins, 935–950. *See also* Collectins
summary, 954
Surfactant replacement therapy, immunomodulatory functions, 953–954
Sweat ducts, epithelial sodium channels, 362
Synaptic plasticity, hippocampal, effect of selective cellular ablation with methylazoxymethanol in developing brain, 208–210
Synaptic transmission, β-amyloid precursor protein functions, 1089–1092

T

Tachykinin(s), insect, 981
Taste cells, epithelial sodium channels, 363
T cell(s), mast cell mediators and, 1060–1062
Thalamus, selective cellular ablation with methylazoxymethanol in developing brain, 205
Thapsigargin, calcium influx and, 919
Thermogenesis
cold-induced, 744–745
feeding-induced, 745
heat production and free energy dissipation, 745–749
distribution of energy dissipation, 748–749
free energy dissipation and efficiency, 747–748
thermogenesis and enthalpy dissipation, 745–747
muscle use-induced, 745
standard metabolic rate and, 752
Thryotropin-releasing hormone, stress response in teleost fish, 601
Thyroid-stimulating hormone, interactions with atrial natriuretic peptide, 493
Toxins, endocytosis, 787–788
Trace elements, absorption during infancy, effects of milk/milk components. *See* Infant nutrition
Transcription factors, epidermal, 406–408
Transglutaminase type 1
gene expression, 404
mutation, lamellar ichthyosis and, 414
Triadin, interaction with ryanodine receptors, 711–712

Tyrosine kinase(s)
activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 911–912
phospholipase D regulation, 311

U

Ubiquitination, receptor-mediated endocytosis, 762–763
Urea synthesis, standard metabolic rate and, 741
Ureter, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1214
Urethra, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1214
Urinary bladder
epithelial sodium channels, 360–362
smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1214
Urotensin-1, stress response in teleost fish, 601
Uterus, smooth muscle, ATP-sensitive potassium channels (K_{ATP}), 1215

V

Vascular smooth muscle, ATP-sensitive potassium channels in (K_{ATP})
membrane potential and basal tone and, 1190–1191
response to vasodilator transmitters and, 1191–1193
vasodilator transmitters and, 1191–1193
Vasoconstriction, 1196–1197
Vasodilation
anesthetics and, 1212
ATP-sensitive potassium channels in, 1191–1196
hypoxia and, 1194–1196
pH-induced, 1193–1194
potassium-induced, inwardly rectifier (K_{IR}) channel in, 1175–1176
role of K^+ channel activation in, 1210–1212
dissociation between K_{ATP} channel activation and dilation, 1210
dissociation of inhibition of K_{ATP} channels from inhibition of relaxations by K^+ channel blockers, 1210–1211
relaxation of K^+-induced contractions, 1211–1212
Vasopressin, regulation of epithelial sodium channels, 380–382
Vesicle fusion, activation of calcium release-activated (store-operated) calcium current (I_{CRAC}), 910
Virus(es), endocytosis, 787–788
Visceral muscle, activity, neuropeptides and (insects), 977–983
Vitamin A, in epidermal keratinocyte proliferation/differentiation, 401
Vitamin D, in epidermal keratinocyte proliferation/differentiation, 401

W

Water
mineral and ionic composition, stress response (fish) and, 615
placental transfer, 824–828
Water flow, lens of eye, 38–39
Water permeability, lens of eye, 27–28
Whey protein, effect on mineral and trace element absorption, 657–659

X

X-irradiation, selective cellular ablation in developing brain, 201–202

Z

Zinc
absorption from breast milk and infant diets, 654–655
dietary intake
breast-fed infants, 646–647
formula-fed infants, 647
status, assessment, 651